

# Declaration of Conformity

We, Fabrication Enterprises, 250 Clearbrook Rd., Elmsford, NY 10523, declare and ensure with sole responsibility, that our Reference products are in compliance with the provisions of Regulation (EU) 2017/745 (MDR) which apply to them.


The obligations laid down in Annex IX are fulfilled with a Quality Management System and on assessment of Technical Documentation approved for the design, manufacture and inspection of the Reference products listed in Annex 1 of the Technical Documentation TF-EX-09 and conformance to the GSPR's of the MDR.

The Authorized Representative for these products is AJW Technology Consulting GmbH, Breite Strasse 3, 40213 Dusseldorf, Germany.

These products are Class I, Rule 1 per Annex VIII of the MDR.

## UMDNS:

CODE	ENGLISH TERM
10547	Calipers, Skinfold, Manual
11367	Dynamometers, Squeeze
11365	Dynamometers, Other
15577	Dynamometers
11893	Goniometers
13090	Charts, Posture
16417	Calipers, Other
11604	Esthesiometers
11293	Dolorimeters
13043	Pinwheels
14255	Tuning Forks
11949	Hammers, Neurological



By: Elliott Goldberg, President



DATE

Fabrication Enterprises

SRN. US-MF-000014521

Basic UDI No. 714905TF09RP45

Expiration Date: this declaration of conformity expires three (3) years from the signature date, limited by the issuance of a new declaration of conformity after the addition of a new product or a change in this product(s) listed.

ATTACHMENT 1

	A	B	C	D	E	F
1	UMDNS	Catalog #	Description	Basic UDI #		
2	10-547	12-1110	Baseline medical skinfold caliper	714905TF09RP45		
3	10-547	12-1112	Baseline economy plastic skinfold caliper	714905TF09RP45		
4	10-547	12-1112-25	Baseline economy plastic skinfold caliper, 25 each	714905TF09RP45		
5	10-547	12-1116	Baseline Skinfold Caliper - Accessory - Calibration Block only	714905TF09RP45		
6	10-547	12-1117	Baseline medical skinfold caliper, without case	714905TF09RP45		
7	10-547	12-1118	case for Baseline skinfold caliper 10.5x7x2.25	714905TF09RP45		
8	10-547	12-1125	Baseline Economy Plastic Skinfold Caliper, Slim-Guide style	714905TF09RP45		
9	10-547	12-1125-25	Baseline Economy Plastic Skinfold Caliper, Slim-Guide style, 25-pack	714905TF09RP45		
10	10-547	12-1130	Baseline Medical Skinfold Caliper - Deluxe Dual-sided Model	714905TF09RP45		
11	11-293	12-1440	Baseline dolorimeter (2 pound sensitivity)	714905TF09RP45		
12	11-293	12-1441	Baseline dolorimeter (5 pound sensitivity)	714905TF09RP45		
13	11-293	12-1442	Baseline dolorimeter (20 pound sensitivity)	714905TF09RP45		
14	11-293	12-1443	Baseline dolorimeter (60 pound sensitivity)	714905TF09RP45		
15	11-365	12-0100	Baseline 7-piece hand evaluation set	714905TF09RP45		
16	11-365	12-0101	Baseline 3-piece LITE hand evaluation set (dynamometer, pinch gauge and goniometer)	714905TF09RP45		
17	11-365	12-0103	Baseline 3-piece hand evaluation set (dynamometer, Pinch gauge, goniometer)	714905TF09RP45		
18	11-365	12-0104	Baseline 7-piece hand evaluation set, HiRes large head	714905TF09RP45		
19	11-365	12-0105	Baseline 3 piece hydraulic hand evaluation set (dyna, pinch, gonio) large head	714905TF09RP45		
20	11-365	12-0110	Baseline 3 piece hydraulic hand evaluation set (dyna, pinch, gonio), large head, ext range	714905TF09RP45		
21	11-365	12-0111	Baseline 7-piece hand evaluation set, HiRes large head, extended range	714905TF09RP45		
22	11-365	12-0112	Baseline 3 piece digital hydraulic hand evaluation set	714905TF09RP45		
23	11-365	12-0113	Baseline 7-piece digital hand evaluation set	714905TF09RP45		
24	11-365	12-0114	Baseline wrist evaluation set, dynamometer and goniometer	714905TF09RP45		
25	11-365	12-0115	Baseline wrist evaluation set, digital dynamometer and goniometer	714905TF09RP45		
26	11-365	12-0116	Baseline 3-piece HD hand evaluation set (dynamometer, pinch gauge, goniometer)	714905TF09RP45		
27	11-365	12-0117	Baseline 7-piece HD hand evaluation set	714905TF09RP45		
28	11-365	12-0118	Baseline 3-piece LITE child hand evaluation set (dynamometer, pinch gauge and goniometer)	714905TF09RP45		
29	11-365	12-0119	Baseline 8-piece hand evaluation set with sensory evaluators (Dellon/Touch-Test)	714905TF09RP45		
30	11-365	12-0129	Baseline 8-piece hand evaluation set with sensory evaluators (Touch-Test)	714905TF09RP45		
31	11-365	12-0200	Baseline pinch gauge with case, blue, 30lb.	714905TF09RP45		
32	11-365	12-0201	Baseline pinch gauge with case, red, 60lb.	714905TF09RP45		
33	11-365	12-0202	Baseline pinch gauge with case, gold, 2lb.	714905TF09RP45		
34	11-365	12-0203	Baseline pinch gauge with case, silver, 10lb.	714905TF09RP45		
35	11-365	12-0205	Baseline pinch gauge, without case, blue, 30lb.	714905TF09RP45		
36	11-365	12-0206	Baseline pinch gauge, without case, red, 60lb.	714905TF09RP45		
37	11-365	12-0207	Baseline pinch gauge, without case, gold, 2lb.	714905TF09RP45		
38	11-365	12-0208	Baseline pinch gauge, without case, silver, 10lb.	714905TF09RP45		
39	11-365	12-0209	case for mechanical pinch gauges (2, 10, 30, 60 pound)	714905TF09RP45		
40	11-365	12-0218	Baseline LITE hydraulic child pinch gauge, 25lb., with case	714905TF09RP45		
41	11-365	12-0222	Baseline HD hydraulic pinch gauge, 50 lb.	714905TF09RP45		
42	11-365	12-0226	Baseline LITE hydraulic pinch gauge, 50lb., with case	714905TF09RP45		
43	11-365	12-0228	Baseline hydraulic HiRes pinch gauge, large head, 95lb.	714905TF09RP45		
44	11-365	12-0229	Baseline hydraulic HiRes pinch gauge, large head, without case, 95lb.	714905TF09RP45		
45	11-365	12-0230	Psytech finger flexion/extension gauge	714905TF09RP45		
46	11-365	12-0231	Baseline hydraulic pinch gauge, without case, 50lb.	714905TF09RP45		
47	11-365	12-0232	case for hydraulic pinch gauge	714905TF09RP45		
48	11-365	12-0233	Baseline hydraulic HiRes pinch gauge, large head, without case, 50lb.	714905TF09RP45		
49	11-365	12-0234	case for large gauge hydraulic pinch gauge 8.5x7x2.5	714905TF09RP45		
50	11-365	12-0235	Baseline hydraulic pinch gauge, 50lb.	714905TF09RP45		
51	11-365	12-0237	Baseline digital hydraulic pinch gauge, 100lb.	714905TF09RP45		
52	11-365	12-0238	Baseline hydraulic pinch gauge with transducer	714905TF09RP45		
53	11-365	12-0239	Baseline hydraulic HiRes pinch gauge, large head, 50lb.	714905TF09RP45		
54	11-365	12-0248	Baseline hydraulic hand dynamometer with transducer	714905TF09RP45		
55	11-365	12-0250	Baseline hydraulic wrist dynamometer, 500 lb.	714905TF09RP45		
56	11-365	12-0251	Baseline digital hydraulic wrist dynamometer, 500 lb.	714905TF09RP45		
57	11-365	12-0261	knob grip for Baseline hydraulic wrist dynamometer	714905TF09RP45		
58	11-365	12-0262	shovel handle grip for Baseline hydraulic wrist dynamometer	714905TF09RP45		
59	11-365	12-0263	lever handle for Baseline hydraulic wrist dynamometer	714905TF09RP45		
60	11-365	12-0264	rod/pipe grip for Baseline hydraulic wrist dynamometer	714905TF09RP45		
61	11-365	12-0266	table mount bracket for Baseline hydraulic wrist dynamometer	714905TF09RP45		
62	11-365	12-0267	Baseline hydraulic wrist dynamometer with transducer	714905TF09RP45		
63	11-365	12-0272	Baseline Pinch Gauge - Hydraulic - Standard - 50 lb Capacity - Reverse Facing Gauge	714905TF09RP45		
64	11-365	12-0301	Baseline economy push/pull dynamometer, 5lb.	714905TF09RP45		
65	11-365	12-0302	Baseline economy push/pull dynamometer, 10lb.	714905TF09RP45		
66	11-365	12-0303	Baseline economy push/pull dynamometer, 60lb.	714905TF09RP45		
67	11-365	12-0340	Baseline 50lb./22.5kg push- pull electronic dynamometer w/ 3-pads, 1-hook, and case	714905TF09RP45		
68	11-365	12-0341	Baseline 100lb./45kg push-pull electronic dynamometer w/ 3-pads, 1-hook, and case	714905TF09RP45		
69	11-365	12-0342	Baseline 250lb./112.5kg push-pull electronic dynamometer w/ 3-pads, 1-hook, and case	714905TF09RP45		
70	11-365	12-0343	Baseline 500lb./225kg push-pull electronic dynamometer w/ 3-pads, 1-hook, and case	714905TF09RP45		
71	11-365	12-0370	straight push pad for push-pull dynamometer	714905TF09RP45		
72	11-365	12-0371	curved push pad for push-pull dynamometer	714905TF09RP45		
73	11-365	12-0372	small flat circular tip for push-pull dynamometer	714905TF09RP45		
74	11-365	12-0373	large flat circular tip for push-pull dynamometer	714905TF09RP45		
75	11-365	12-0376	small hook for push-pull dynamometer	714905TF09RP45		

	A	B	C	D	E	F
76	11-365	12-0377	medium hook for push-pull dynamometer	714905TF09RP45		
77	11-365	12-0379	threaded oval spring hook for push-pull dynamometer	714905TF09RP45		
78	11-365	12-0384	Baseline hydraulic push-pull dynamometer with transducer	714905TF09RP45		
79	11-365	12-0385	single grip handle for Baseline push-pull dynamometer	714905TF09RP45		
80	11-365	12-0387	Baseline 500lb. universal digital push-pull dynamometer	714905TF09RP45		
81	11-365	12-0388	Baseline 500lb. universal push-pull dynamometer	714905TF09RP45		
82	11-365	12-0389	dual grip handle for Baseline push-pull dynamometer	714905TF09RP45		
83	11-365	12-0392	Baseline 50lb. universal push-pull dynamometer	714905TF09RP45		
84	11-365	12-0393	Baseline 100lb. universal push-pull dynamometer	714905TF09RP45		
85	11-365	12-0394	Baseline 250lb. universal push-pull dynamometer	714905TF09RP45		
86	11-365	12-0397	Baseline 50lb. universal digital push-pull dynamometer	714905TF09RP45		
87	11-365	12-0398	Baseline 100lb. universal digital push-pull dynamometer	714905TF09RP45		
88	11-365	12-0399	Baseline 250lb. universal digital push-pull dynamometer	714905TF09RP45		
89	11-365	12-0400	Baseline back, leg, chest dynamometer, adult, 660lb.	714905TF09RP45		
90	11-365	12-0401	Baseline back, leg, chest dynamometer, adolescent, 330lb	714905TF09RP45		
91	11-365	12-0402	Baseline back, leg, chest dynamometer, child, 165lb.	714905TF09RP45		
92	11-365	12-0403	Baseline back, leg, chest dynamometer, large base, adult, 660lb.	714905TF09RP45		
93	11-365	12-0405	regular stand-on lifting base for push-pull and back-leg-chest dynamometers	714905TF09RP45		
94	11-365	12-0407	large stand-on lifting base for push-pull and back-leg-chest dynamometers	714905TF09RP45		
95	11-365	12-0410	Baseline cable tensiometer set, adult, 660lb.	714905TF09RP45		
96	11-365	12-0411	Baseline cable tensiometer set, adolescent, 330lb.	714905TF09RP45		
97	11-365	12-0412	Baseline cable tensiometer set, child, 165lb.	714905TF09RP45		
98	11-365	12-0420	ankle strap for cable tensiometer	714905TF09RP45		
99	11-365	12-0422	thigh strap for cable tensiometer	714905TF09RP45		
100	11-365	12-0424	wrist strap for cable tensiometer	714905TF09RP45		
101	11-365	12-0427	shoulder harness for cable tensiometer	714905TF09RP45		
102	11-365	12-0428	foot stirrup for cable tensiometer, large	714905TF09RP45		
103	11-365	12-0429	head harness for cable tensiometer, large	714905TF09RP45		
104	11-365	12-0441	double grip handle for back-leg-chest (force gauge)	714905TF09RP45		
105	11-365	12-0442	single grip handle for back-leg-chest (force gauge)	714905TF09RP45		
106	11-365	12-0443	lifting chain for back-leg-chest (force gauge), per foot	714905TF09RP45		
107	11-365	12-0445	snap oval connector for back-leg-chest (force gauge) chain	714905TF09RP45		
108	11-365	12-0446	threaded oval connector back-leg-chest (force gauge) chain	714905TF09RP45		
109	11-365	12-0475	Baseline Electronic Pinch Gauge	714905TF09RP45		
110	11-365	12-0480	Baseline Pinch Gauge - Hydraulic - 5-level Pinch Clinic Mode - 50 lb Capacity	714905TF09RP45		
111	11-365	12-0480P	Baseline Pinch Gauge - Hydraulic - 5-level Pinch - additional Paddle only	714905TF09RP45		
112	11-365	12-0490	Baseline Pinch Gauge - Hydraulic - 5-level Pinch Feedback Mode - 50 lb Capacity	714905TF09RP45		
113	11-367	12-0102	Baseline Hand Evaluation - 7-piece Set - Features LITE 200 lb HHD & 30 lb MPG	714905TF09RP45		
114	11-367	12-0126	Baseline Hand Evaluation - 8-piece Set - Features LITE 200 lb HHD & 50 lb HPG	714905TF09RP45		
115	11-367	12-0127	Baseline Hand Evaluation - 8-piece Set - Features HD 200 lb HHD & 50 lb HPG	714905TF09RP45		
116	11-367	12-0128	Baseline Hand Evaluation - 8-piece Set - Features Standard 200 lb HHD & 50 lb HPG	714905TF09RP45		
117	11-367	12-0221	Baseline HD hydraulic hand dynamometer, 200lb.	714905TF09RP45		
118	11-367	12-0240	Baseline hydraulic hand dynamometer, 200lb.	714905TF09RP45		
119	11-367	12-0241	Baseline LITE hydraulic hand dynamometer, 200lb., with case	714905TF09RP45		
120	11-367	12-0243	Baseline hydraulic HiRes hand dynamometer, large head, 200lb	714905TF09RP45		
121	11-367	12-0244	Baseline LITE child hydraulic hand dynamometer, 100lb., with case	714905TF09RP45		
122	11-367	12-0246	Baseline hydraulic HiRes hand dynamometer, large-head, 300lb	714905TF09RP45		
123	11-367	12-0247	Baseline digital hydraulic hand dynamometer, 300lb.	714905TF09RP45		
124	11-367	12-0249	Baseline hydraulic HiRes hand dynamometer, 300lb. heavy-duty, large head, without case	714905TF09RP45		
125	11-367	12-0255	Baseline hydraulic hand dynamometer, without case, 200lb.	714905TF09RP45		
126	11-367	12-0256	case for hydraulic hand dynamometer 12x8x3.75	714905TF09RP45		
127	11-367	12-0257	Baseline hydraulic HiRes hand dynamometer, large head, without case, 200lb.	714905TF09RP45		
128	11-367	12-0258	case for hydraulic hand dynamometer, large gauge 13.5x10x5.5	714905TF09RP45		
129	11-367	12-0271	Baseline Hand Dynamometer - Standard 200 lb Capacity - Reverse Gauge Exercise/Feedback Model	714905TF09RP45		
130	11-367	12-0281	Baseline Smedley spring dynamometer, adult, 220lb.	714905TF09RP45		
131	11-367	12-0282	Baseline Smedley spring dynamometer, child, 110lb.	714905TF09RP45		
132	11-367	12-0283	Baseline Smedley spring dynamometer (220 pound), Adult, without case	714905TF09RP45		
133	11-367	12-0284	Baseline Smedley spring dynamometer (110 pound), child, without case	714905TF09RP45		
134	11-367	12-0285	case for Smedley dynamometers (110, 220 pound) 10.5x7x2.25	714905TF09RP45		
135	11-367	12-0286	Baseline electronic Smedly hand dynamometer, adult, 200 lb./90 kg	714905TF09RP45		
136	11-367	12-0290	Baseline pneumatic (squeeze bulb) dynamometer (30 PSI)	714905TF09RP45		
137	11-367	12-0291	Baseline pneumatic (squeeze bulb) dynamometer (30 PSI) w/reset	714905TF09RP45		
138	11-367	12-0292	Baseline pneumatic (squeeze bulb) dynamometer (15 PSI)	714905TF09RP45		
139	11-367	12-0293	Baseline pneumatic (squeeze bulb) dynamometer (15 PSI) w/reset	714905TF09RP45		
140	11-367	12-0297	Baseline pneumatic bulb dynamometer/pinch gauge combination	714905TF09RP45		
141	11-604	12-1390	Baseline monofilament, 1 gram	714905TF09RP45		
142	11-604	12-1391	Baseline monofilament, 10 gram	714905TF09RP45		
143	11-604	12-1392	Baseline monofilament, 75 gram	714905TF09RP45		
144	11-604	12-1393	Baseline monofilament, set of three (1,10 and 75 gm)	714905TF09RP45		
145	11-604	12-1395	Baseline home monofilament, 1 gram	714905TF09RP45		
146	11-604	12-1396	Baseline home monofilament, 10 gram	714905TF09RP45		
147	11-604	12-1397	Baseline home monofilament, 75 gram	714905TF09RP45		
148	11-604	12-1398	Baseline home monofilament, 3 piece set (1, 10, 75 gram)	714905TF09RP45		
149	11-604	12-1480	Baseline two-point discriminator (aesthesiometer)	714905TF09RP45		
150	11-604	12-1481	Baseline three-point discriminator (aesthesiometer)	714905TF09RP45		

	A	B	C	D	E	F
151	11-604	12-1482	2-point discriminator, stainless steel	714905TF09RP45		
152	11-604	12-1492	Baseline 2-point discriminator, 2 disk set	714905TF09RP45		
153	11-604	12-1637	Baseline Tactile Monofilament - Protective Case - 2 Monofilament Capacity	714905TF09RP45		
154	11-604	12-1638	Baseline Tactile Monofilament - Protective Case - 6 Monofilament Capacity	714905TF09RP45		
155	11-604	12-1639	Baseline Tactile Monofilament - Protective Case - 24 Monofilament Capacity	714905TF09RP45		
156	11-604	12-1640	Baseline Tactile Monofilament - 1.65 - 0.008 gram	714905TF09RP45		
157	11-604	12-1641	Baseline Tactile Monofilament - 2.36 - 0.02 gram	714905TF09RP45		
158	11-604	12-1642	Baseline Tactile Monofilament - 2.44 - 0.04 gram	714905TF09RP45		
159	11-604	12-1643	Baseline Tactile Monofilament - 2.83 - 0.07 gram	714905TF09RP45		
160	11-604	12-1644	Baseline Tactile Monofilament - 3.22 - 0.16 gram	714905TF09RP45		
161	11-604	12-1645	Baseline Tactile Monofilament - 3.61 - 0.4 gram	714905TF09RP45		
162	11-604	12-1646	Baseline Tactile Monofilament - 3.84 - 0.6 gram	714905TF09RP45		
163	11-604	12-1647	Baseline Tactile Monofilament - 4.08 - 1.0 gram	714905TF09RP45		
164	11-604	12-1648	Baseline Tactile Monofilament - 4.17 - 1.4 gram	714905TF09RP45		
165	11-604	12-1649	Baseline Tactile Monofilament - 4.31 - 2.0 gram	714905TF09RP45		
166	11-604	12-1650	Baseline Tactile Monofilament - 4.56 - 4.0 gram	714905TF09RP45		
167	11-604	12-1651	Baseline Tactile Monofilament - 4.74 - 6.0 gram	714905TF09RP45		
168	11-604	12-1652	Baseline Tactile Monofilament - 4.93 - 8.0 gram	714905TF09RP45		
169	11-604	12-1653	Baseline Tactile Monofilament - 5.07 - 10.0 gram	714905TF09RP45		
170	11-604	12-1654	Baseline Tactile Monofilament - 5.18 - 15.0 gram	714905TF09RP45		
171	11-604	12-1655	Baseline Tactile Monofilament - 5.46 - 26.0 gram	714905TF09RP45		
172	11-604	12-1656	Baseline Tactile Monofilament - 5.88 - 60.0 gram	714905TF09RP45		
173	11-604	12-1657	Baseline Tactile Monofilament - 6.10 - 100.0 gram	714905TF09RP45		
174	11-604	12-1658	Baseline Tactile Monofilament - 6.45 - 180.0 gram	714905TF09RP45		
175	11-604	12-1659	Baseline Tactile Monofilament - 6.65 - 300.0 gram	714905TF09RP45		
176	11-604	12-1660	Baseline Tactile Monofilament - 2-piece Set - Normal - 2.83, 3.61 gram	714905TF09RP45		
177	11-604	12-1662	Baseline Tactile Monofilament - 5-piece Set - Hand - 2.83, 3.61, 4.31, 4.56, 6.65 gram	714905TF09RP45		
178	11-604	12-1664	Baseline Tactile Monofilament - 6-piece Set - Foot - 2.83, 3.61, 4.31, 4.56, 5.07, 6.65 gram	714905TF09RP45		
179	11-604	12-1666	Baseline Tactile Monofilament - 20-piece Set - Complete	714905TF09RP45		
180	11-604	12-1668	Baseline Tactile Monofilament - 2-piece Set - Protective Sensation - 4.56, 5.07 gram	714905TF09RP45		
181	11-604	12-1670	Baseline Tactile Monofilament - LEAP Program - Disposable - 5.07 - 10 gram - Single unit	714905TF09RP45		
182	11-604	12-1670-20	Baseline Tactile Monofilament - LEAP Program - Disposable - 5.07 - 10 gram - 20-pack	714905TF09RP45		
183	11-604	12-1670-40	Baseline Tactile Monofilament - LEAP Program - Disposable - 5.07 - 10 gram - 40-pack	714905TF09RP45		
184	11-604	12-1671	Baseline Tactile Monofilament - ADA Program - Disposable - 5.07 - 10 gram - Single unit	714905TF09RP45		
185	11-604	12-1671-20	Baseline Tactile Monofilament - ADA Program - Disposable - 5.07 - 10 gram - 20-pack	714905TF09RP45		
186	11-604	12-1671-40	Baseline Tactile Monofilament - ADA Program - Disposable - 5.07 - 10 gram - 40-pack	714905TF09RP45		
187	11-604	12-1672-20	Baseline Tactile Monofilament - ADA/LEAP/LOPS - Disposable - 5.07 - 10 gram - 20 ea.	714905TF09RP45		
188	11-604	12-1672-40	Baseline Tactile Monofilament - ADA/LEAP/LOPS - Disposable - 5.07 - 10 gram - 40 ea.	714905TF09RP45		
189	11-604	12-1672S-1	Baseline Tactile Monofilament - ADA/LEAP/LOPS - Disposable w/sleeve - 5.07 - 10 gram - 1 ea.	714905TF09RP45		
190	11-604	12-1672S-25	Baseline Tactile Monofilament - ADA/LEAP/LOPS - Disposable w/sleeve - 5.07 - 10 gram - 25 ea.	714905TF09RP45		
191	11-604	12-1720	Baseline Fold-Up Monofilament, 1.65 level	714905TF09RP45		
192	11-604	12-1721	Baseline Fold-Up Monofilament, 2.36 level	714905TF09RP45		
193	11-604	12-1722	Baseline Fold-Up Monofilament, 2.44 level	714905TF09RP45		
194	11-604	12-1723	Baseline Fold-Up Monofilament, 2.83 level	714905TF09RP45		
195	11-604	12-1724	Baseline Fold-Up Monofilament, 3.22 level	714905TF09RP45		
196	11-604	12-1725	Baseline Fold-Up Monofilament, 3.61 level	714905TF09RP45		
197	11-604	12-1726	Baseline Fold-Up Monofilament, 3.84 level	714905TF09RP45		
198	11-604	12-1727	Baseline Fold-Up Monofilament, 4.08 level	714905TF09RP45		
199	11-604	12-1728	Baseline Fold-Up Monofilament, 4.17 level	714905TF09RP45		
200	11-604	12-1729	Baseline Fold-Up Monofilament, 4.31 level	714905TF09RP45		
201	11-604	12-1730	Baseline Fold-Up Monofilament, 4.56 level	714905TF09RP45		
202	11-604	12-1731	Baseline Fold-Up Monofilament, 4.74 level	714905TF09RP45		
203	11-604	12-1732	Baseline Fold-Up Monofilament, 4.93 level	714905TF09RP45		
204	11-604	12-1733	Baseline Fold-Up Monofilament, 5.07 level	714905TF09RP45		
205	11-604	12-1734	Baseline Fold-Up Monofilament, 5.18 level	714905TF09RP45		
206	11-604	12-1735	Baseline Fold-Up Monofilament, 5.46 level	714905TF09RP45		
207	11-604	12-1736	Baseline Fold-Up Monofilament, 5.88 level	714905TF09RP45		
208	11-604	12-1737	Baseline Fold-Up Monofilament, 6.10 level	714905TF09RP45		
209	11-604	12-1738	Baseline Fold-Up Monofilament, 6.45 level	714905TF09RP45		
210	11-604	12-1739	Baseline Fold-Up Monofilament, 6.65 level	714905TF09RP45		
211	11-604	12-1740	Baseline Fold-Up Monofilament, Evaluator Hand Set with Case (Set of 5: 2.83, 3.61, 4.31, 4.56, 6.65)	714905TF09RP45		
212	11-604	12-1741	Baseline Fold-Up Monofilament, Evaluator Foot Set with Case (Set of 6: 2.83, 3.61, 4.31, 4.56, 5.07, 6.65)	714905TF09RP45		
213	11-604	12-1743	Baseline Fold-Up Monofilament, Evaluator Set with Case (Set of 20: 1.65 through 6.65)	714905TF09RP45		
214	11-604	12-1745	Baseline Fold-Up Monofilament, Normal Limit Set (Set of 2: 2.83, 3.61)	714905TF09RP45		
215	11-604	12-1746	Baseline Fold-Up Monofilament, Protective Sensation (Set of 2: 4.56, 5.07)	714905TF09RP45		
216	11-893	12-0502	Baseline pronation/supination inclinometer	714905TF09RP45		
217	11-893	12-1000	Baseline 360 degree clear plastic goniometer, 12 inches	714905TF09RP45		
218	11-893	12-1000-25	Baseline 360 degree clear plastic goniometer, 12 inches(25 each)	714905TF09RP45		
219	11-893	12-1000HR	Baseline HiRes 360 degree clear plastic goniometer, 12 inches	714905TF09RP45		
220	11-893	12-1000HR-25	Baseline HiRes 360 degree clear plastic goniometer, 12 inches (25 each)	714905TF09RP45		
221	11-893	12-1001	Baseline 360 degree clear plastic goniometer, 8 inches	714905TF09RP45		
222	11-893	12-1001-25	Baseline 360 degree clear plastic goniometer, 8 inches(25 each)	714905TF09RP45		
223	11-893	12-1001HR	Baseline HiRes 360 degree clear plastic goniometer, 8 inches	714905TF09RP45		
224	11-893	12-1001HR-25	Baseline HiRes 360 degree clear plastic goniometer, 8 inches (25 each)	714905TF09RP45		
225	11-893	12-1002	Baseline 360 degree clear plastic goniometer, 6 inches	714905TF09RP45		

	A	B	C	D	E	F
226	11-893	12-1002-25	Baseline 360 degree clear plastic goniometer, 6 inches(25 each)	714905TF09RP45		
227	11-893	12-1002HR	Baseline HiRes 360 degree clear plastic goniometer, 6 inches	714905TF09RP45		
228	11-893	12-1002HR-25	Baseline HiRes 360 degree clear plastic goniometer, 6 inches (25 each)	714905TF09RP45		
229	11-893	12-1005	Baseline 180 degree clear plastic pocket goniometer, 6 inches	714905TF09RP45		
230	11-893	12-1005-25	Baseline 180 degree plastic poccket goniometer, 6 inches (25 each)	714905TF09RP45		
231	11-893	12-1005HR	Baseline HiRes 180 degree clear plastic pocket goniometer, 6 inches	714905TF09RP45		
232	11-893	12-1005HR-25	Baseline HiRes 180 degree clear plastic pocket goniometer, 6 inches (25 each)	714905TF09RP45		
233	11-893	12-1006	Baseline 360 degree clear plastic rulongmeter, 6 inches	714905TF09RP45		
234	11-893	12-1006-25	Baseline 360 degree plastic rulongmeter, 6 inches (25 each)	714905TF09RP45		
235	11-893	12-1006HR	Baseline HiRes 360 degree clear plastic rulongmeter, 6 inches	714905TF09RP45		
236	11-893	12-1006HR-25	Baseline HiRes 360 degree clear plastic rulongmeter, 6 inches (25 each)	714905TF09RP45		
237	11-893	12-1010	Baseline SS finger goniometer, 6 inches	714905TF09RP45		
238	11-893	12-1011	Baseline SS deluxe finger goniometer, 6 inches	714905TF09RP45		
239	11-893	12-1012	Baseline flexion/hyper-extension plastic finger goniometer	714905TF09RP45		
240	11-893	12-1012-25	Baseline flexion/hyper-extension plastic finger goniometer (25 each)	714905TF09RP45		
241	11-893	12-1014	Baseline plastic finger goniometer, 1-finger design	714905TF09RP45		
242	11-893	12-1015	Baseline SS finger goniometer, 3-1/2 inches	714905TF09RP45		
243	11-893	12-1016	Baseline SS finger goniometer, 1-finger design	714905TF09RP45		
244	11-893	12-1020	Baseline SS large joint knee, shoulder, elbow goniometer, 18 inches	714905TF09RP45		
245	11-893	12-1025	Baseline absolute axis 360 degree clear plastic goniometer, 12 inches	714905TF09RP45		
246	11-893	12-1025-25	Baseline absolute axis 360 degree clear plastic goniometer, 12 inches, 25 each	714905TF09RP45		
247	11-893	12-1025HR	Baseline absolute axis 360 degree HiRes clear plastic goniometer, 12 inches	714905TF09RP45		
248	11-893	12-1025HR-25	Baseline absolute axis 360 degree HiRes clear plastic goniometer, 12 inches, 25 each	714905TF09RP45		
249	11-893	12-1026	Baseline absolute axis attachment for 360 degree plastic goniometers	714905TF09RP45		
250	11-893	12-1026-25	Baseline absolute axis attachment for 360 degree plastic goniometers, 25 each	714905TF09RP45		
251	11-893	12-1027	Baseline Metal Absolute+Axis Goniometer - Digital 180 Degree Range, 9 inch Arms	714905TF09RP45		
252	11-893	12-1027-25	Baseline Metal Absolute+Axis Goniometer - Digital 180 Degree Range, 9 inch Arms, 25-pack	714905TF09RP45		
253	11-893	12-1028	Baseline Plastic Goniometer - 6-piece Set	714905TF09RP45		
254	11-893	12-1028-25	Baseline Plastic Goniometer - 6-piece Set, 25-pack	714905TF09RP45		
255	11-893	12-1028HR	Baseline Plastic Goniometer - HiRes 6-piece Set	714905TF09RP45		
256	11-893	12-1028HR-25	Baseline Plastic Goniometer - HiRes 6-piece Set, 25-pack	714905TF09RP45		
257	11-893	12-1030	Baseline 180 degree X-ray anodized goniometer, 14 inches	714905TF09RP45		
258	11-893	12-1031	Baseline 180 degree X-ray anodized goniometer, 8 inches	714905TF09RP45		
259	11-893	12-1032	Baseline 180 degree X-ray anodized goniometer, 6 inches	714905TF09RP45		
260	11-893	12-1034HR	Baseline XTender HiRes 360 ISOM Goniometer	714905TF09RP45		
261	11-893	12-1035	180 degree extendable legs (9-26") with magnification	714905TF09RP45		
262	11-893	12-1040	Baseline SS 180 degree goniometer, 8 inches	714905TF09RP45		
263	11-893	12-1041	Baseline SS 180 degree Conzett goniometer, 14 inches	714905TF09RP45		
264	11-893	12-1042	Baseline SS 180 degree Robinson goniometer, 6 inches	714905TF09RP45		
265	11-893	12-1042-25	Baseline Robinson 180 degree SS goniometer, 6 inches, 25 each	714905TF09RP45		
266	11-893	12-1043	Baseline goniometer set, stainless steel, 6-pieces with case	714905TF09RP45		
267	11-893	12-1049	Baseline Digital Plastic 360 Degree 10 inch Goniometer	714905TF09RP45		
268	11-893	12-1050	Baseline SS 360 degree goniometer, 14 inches	714905TF09RP45		
269	11-893	12-1055	Baseline gravity inclinometer (flexometer)	714905TF09RP45		
270	11-893	12-1056	Baseline bubble inclinometer	714905TF09RP45		
271	11-893	12-1056-2	Baseline bubble inclinometer, 2 piece set	714905TF09RP45		
272	11-893	12-1057	Baseline digital inclinometer	714905TF09RP45		
273	11-893	12-1057-2	Baseline digital inclinometer, 2 piece set	714905TF09RP45		
274	11-893	12-1060	Baseline Functional Finger Motion Gauge	714905TF09RP45		
275	11-893	12-1070	Baseline universal goniometer with clip	714905TF09RP45		
276	11-893	12-1071	Baseline universal goniometer with headband	714905TF09RP45		
277	11-893	12-1076	Baseline arthrodial protractor	714905TF09RP45		
278	11-893	12-1082	Baseline kinese set (protractor, evaluator and grid)	714905TF09RP45		
279	11-893	12-1085	trunk flexibility instrument (sit-and-reach)	714905TF09RP45		
280	11-893	12-1086	Acuflex I	714905TF09RP45		
281	11-893	12-1091	Scoliometer	714905TF09RP45		
282	11-893	12-1095	Baseline ISOM measurement chart	714905TF09RP45		
283	11-893	12-1096	Baseline adjustable wall goniometer	714905TF09RP45		
284	11-893	12-1099	Baseline Scoliosis Meter - Plastic Economy	714905TF09RP45		
285	11-893	12-1149	Baseline AcuAngle inclinometer	714905TF09RP45		
286	11-893	12-1149-2	Baseline AcuAngle inclinometer, set of 2	714905TF09RP45		
287	11-949	12-1500	Taylor hammer	714905TF09RP45		
288	11-949	12-1500-25	Taylor hammer, 25 each	714905TF09RP45		
289	11-949	12-1501	Taylor hammer with 128 cps tuning fork	714905TF09RP45		
290	11-949	12-1501-25	Taylor hammer with 128 cps tuning fork, 25 each	714905TF09RP45		
291	11-949	12-1502	Taylor hammer with 256 cps tuning fork	714905TF09RP45		
292	11-949	12-1502-25	Taylor hammer with 256 cps tuning fork, 25 each	714905TF09RP45		
293	11-949	12-1510	neurological (Buck) hammer	714905TF09RP45		
294	11-949	12-1510-25	neurological (Buck) hammer, 25 each	714905TF09RP45		
295	11-949	12-1511	neurological hammer combination (128 cps)	714905TF09RP45		
296	11-949	12-1511-25	neurological hammer combination (128 cps), 25 each	714905TF09RP45		
297	11-949	12-1512	neurological hammer combination (256 cps)	714905TF09RP45		
298	11-949	12-1512-25	neurological hammer combination (256 cps), 25 each	714905TF09RP45		
299	11-949	12-1514	neurological (Buck) hammer, no-latex	714905TF09RP45		
300	11-949	12-1514-25	neurological (Buck) hammer, no-latex, 25 each	714905TF09RP45		

	A	B	C	D	E	F
301	11-949	12-1516	4-in-1 Neurological Hammerwith needle, brush, pinwheel	714905TF09RP45		
302	11-949	12-1516-25	4-in-1 Neurological Hammerwith needle, brush, pinwheel, 25 each	714905TF09RP45		
303	11-949	12-1520	Babinski hammer	714905TF09RP45		
304	11-949	12-1520-25	Babinski hammer, 25 each	714905TF09RP45		
305	11-949	12-1521	Babinski hammer (long)	714905TF09RP45		
306	11-949	12-1521-25	Babinski hammer, long, 25 each	714905TF09RP45		
307	11-949	12-1524	Babinski hammer, no-latex	714905TF09RP45		
308	11-949	12-1524-25	Babinski hammer, no latex, 25 each	714905TF09RP45		
309	11-949	12-1526	Babinski hammer, long, no-latex	714905TF09RP45		
310	11-949	12-1526-25	Babinski hammer, long, no-latex, 25 each	714905TF09RP45		
311	11-949	12-1570	Taylor hammer, no-latex, yellow	714905TF09RP45		
312	11-949	12-1570-25	Taylor hammer, no-latex, yellow, 25 each	714905TF09RP45		
313	11-949	12-1571	Taylor hammer, no-latex, red	714905TF09RP45		
314	11-949	12-1571-25	Taylor hammer, no-latex, red, 25 each	714905TF09RP45		
315	11-949	12-1572	Taylor hammer, no-latex, green	714905TF09RP45		
316	11-949	12-1572-25	Taylor hammer, no-latex, green, 25 each	714905TF09RP45		
317	11-949	12-1573	Taylor hammer, no-latex, blue	714905TF09RP45		
318	11-949	12-1573-25	Taylor hammer, no-latex, blue, 25 each	714905TF09RP45		
319	11-949	12-1574	Taylor hammer, no-latex, black	714905TF09RP45		
320	11-949	12-1574-25	Taylor hammer, no-latex, black, 25 each	714905TF09RP45		
321	13-043	12-1445	Baseline Cleanwheel sterile disposable neurological pinwheel	714905TF09RP45		
322	13-043	12-1445-25	Baseline Cleanwheel sterile disposable neurological pinwheel, 25 each	714905TF09RP45		
323	13-043	12-1446	Baseline Cleanwheel non-sterile disposable neurological pinwheel	714905TF09RP45		
324	13-043	12-1446-25	Baseline Cleanwheel non-sterile disposable neurological pinwheel, 25 each	714905TF09RP45		
325	13-043	12-1450	Wartenburg pinwheel	714905TF09RP45		
326	13-090	12-1077	Baseline posture evaluation set (grid and evaluator)	714905TF09RP45		
327	13-090	12-1078	Baseline posture evaluator	714905TF09RP45		
328	13-090	12-1080	Baseline posture grid	714905TF09RP45		
329	13-090	12-1090	Baseline body level	714905TF09RP45		
330	14-255	12-1460	tuning fork set with case (6 pieces)	714905TF09RP45		
331	14-255	12-1461	tuning fork sensory evaluation set (30 and 256 cps)	714905TF09RP45		
332	14-255	12-1462	tuning fork with variable frequency (weighted)	714905TF09RP45		
333	14-255	12-1464	tuning fork with weight (64 cps)	714905TF09RP45		
334	14-255	12-1464-25	tuning fork with weight (64 cps), 25 each	714905TF09RP45		
335	14-255	12-1465	tuning fork with weight (30cps)	714905TF09RP45		
336	14-255	12-1465-25	tuning fork with weight (30cps), 25 each	714905TF09RP45		
337	14-255	12-1466	tuning fork with weight (128cps)	714905TF09RP45		
338	14-255	12-1466-25	tuning fork with weight (128cps), 25 each	714905TF09RP45		
339	14-255	12-1467	tuning fork with weight (256cps)	714905TF09RP45		
340	14-255	12-1467-25	tuning fork with weight (256cps), 25 each	714905TF09RP45		
341	14-255	12-1468	tuning fork (512 cps)	714905TF09RP45		
342	14-255	12-1468-25	tuning fork (512 cps), 25 each	714905TF09RP45		
343	14-255	12-1469	tuning fork (1024 cps)	714905TF09RP45		
344	14-255	12-1469-25	tuning fork (1024 cps), 25 each	714905TF09RP45		
345	14-255	12-1470	tuning fork (2048 cps)	714905TF09RP45		
346	14-255	12-1470-25	tuning fork (2048 cps), 25 each	714905TF09RP45		
347	14-255	12-1471	tuning fork (4096 cps)	714905TF09RP45		
348	14-255	12-1471-25	tuning fork (4096 cps), 25 each	714905TF09RP45		
349	14-255	12-1472	Rydel-Seiffer graduated tuning fork	714905TF09RP45		
350	14-255	12-1475	student grade tuning fork with weight, (128 cps)	714905TF09RP45		
351	14-255	12-1475-25	student grade tuning fork withweight, (128cps), 25 each	714905TF09RP45		
352	14-255	12-1476	student grade tuning fork (256cps)	714905TF09RP45		
353	14-255	12-1476-25	student grade tuning fork (256cps), 25 each	714905TF09RP45		
354	14-255	12-1477	student grade tuning fork (512cps)	714905TF09RP45		
355	14-255	12-1477-25	student grade tuning fork (512cps), 25 each	714905TF09RP45		
356	14-255	12-1517	adjustable tuning fork (64 and 128 cps) C64 w/out weights	714905TF09RP45		
357	15-577	12-0070	BIMS Grip strength clinic	714905TF09RP45		
358	15-577	12-0071	BIMS Grip strength deluxe	714905TF09RP45		
359	15-577	12-0072	BIMS Grip strength functional	714905TF09RP45		
360	15-577	12-0080	BIMS Pinch strength clinic	714905TF09RP45		
361	15-577	12-0081	BIMS Pinch strength deluxe	714905TF09RP45		
362	15-577	12-0082	BIMS Pinch strength functional	714905TF09RP45		
363	15-577	12-0090	BIMS Hand Evaluation Set strength clinic	714905TF09RP45		
364	15-577	12-0091	BIMS Hand Evaluation Set strength deluxe	714905TF09RP45		
365	15-577	12-0092	BIMS Hand Evaluation Set strength functional	714905TF09RP45		
366	16-417	12-3500	Baseline volumetric measuring device, hand set, 3x5x11 inches	714905TF09RP45		
367	16-417	12-3501	Baseline volumetric measuring device, arm set, 7x7x30 inches	714905TF09RP45		
368	16-417	12-3502	Baseline volumetric measuring device, foot set, 5x13x9 inches	714905TF09RP45		
369	16-417	12-3504	Baseline volumetric measuring device, forearm set, 6x6x24 inches	714905TF09RP45		
370	16-417	12-3505	Baseline volumetric measuring device, partial leg set, 6x13x24 inches	714905TF09RP45		
371	16-417	12-3508	Baseline volumetric measuring device,partial leg,8x13x16"	714905TF09RP45		
372	16-417	12-1201	Baseline Gulick measurement tape, plastic case	714905TF09RP45		
373	16-417	12-1201-25	Baseline Gulick measurement tape, plastic case, 25 each	714905TF09RP45		
374	16-417	12-1203	Baseline Measurement Tape with Gulick Attachment, 72 inch	714905TF09RP45		
375	16-417	12-1203-25	Baseline Measurement Tape with Gulick Attachment, 72 inch, 25 each	714905TF09RP45		

ATTACHMENT 1

	A	B	C	D	E	F
376	16-417	12-1204	Baseline Measurement Tape with Gulick Attachment, 120 inch	714905TF09RP45		
377	16-417	12-1204-25	Baseline Measurement Tape with Gulick Attachment, 120 inch, 25 each	714905TF09RP45		
378	16-417	12-1205	Baseline circumference measurement tape, 72 inches	714905TF09RP45		
379	16-417	12-1205-25	Baseline circumference measurement tape, 72 inches (25 each)	714905TF09RP45		
380	16-417	12-1210	Baseline woven measurement tape with push-button retractor	714905TF09RP45		
381	16-417	12-1210-25	woven fabric measurement tapewith push-button retractor (25 each)	714905TF09RP45		
382	16-417	12-1211	Baseline Measurement Tape, 72 inch	714905TF09RP45		
383	16-417	12-1211-25	Baseline Measurement Tape, 72 inch, 25 each	714905TF09RP45		
384	16-417	12-1212	Baseline Measurement Tape, 120 inch	714905TF09RP45		
385	16-417	12-1212-25	Baseline Measurement Tape, 120 inch, 25 each	714905TF09RP45		
386	16-417	12-1220	finger circumference gauge (inches)	714905TF09RP45		
387	16-417	12-1221	finger circumference gauge (centimeters)	714905TF09RP45		
388	16-417	12-1222	Baseline Finger Circumference Gauge, 6 inch / 15 cm Maximum	714905TF09RP45		
389	16-417	12-1222-25	Baseline Finger Circumference Gauge, 6 inch / 15 cm Maximum, 25-pack	714905TF09RP45		
390	16-417	12-1230	Martin breadth caliper	714905TF09RP45		
391	16-417	12-1231	Collyer breadth caliper	714905TF09RP45		

**REVISION HISTORY**

Revision	Description of Change	Date
0	Initial release	9/3/2021
1	Added SRN and Basic UDI Numbers	11/16/2021